5531216-3 ✓ ACTIVE

AMPMODU

TE Internal #: 5531216-3


Connector Contact, Socket, Cable-to-Cable, Gold, 26 – 22 AWG

Wire Size, .12 – .4 mm² Wire Size, Straight, Wire & Cable, 3 A, Signal

View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Connector Contacts



Contact Type: Socket

Connector System: Cable-to-Cable

Contact Mating Area Plating Material: Gold

Wire Size: .12 – .4 mm²

Features

Product Type Features

| Connector System | Cable-to-Cable |
|---|-----------------|
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |
| Contact Features | |
| PCB Contact Termination Area Plating Material Thickness | 1.27 µm[50 µin] |
| Contact Mating Area Plating Material Thickness | 1.27 μm[50 μin] |
| PCB Contact Termination Area Plating Material | Tin |
| Contact Base Material | Phosphor Bronze |
| Contact Type | Socket |
| Contact Mating Area Plating Material | Gold |
| Contact Orientation | Straight |
| Contact Current Rating (Max) | 3 A |

Termination Features

| Townsianting Mother of to Mire Q Colole | Crimora |
|---|---------|
| Termination Method to Wire & Cable | Crimp |

Mechanical Attachment

| Wire Insulation Support | With |
|-------------------------|----------------------------|
| PCB Mount Retention | Without |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

Dimensions



| Wire Size | .12 – .4 mm² |
|-----------------------------|---|
| Usage Conditions | |
| Operating Temperature Range | -65 – 105 °C, -40 – 85 °C[-85 – 221 °F][-40 – 185 °F] |
| Operation/Application | |
| Circuit Application | Signal |
| Packaging Features | |
| Packaging Quantity | 15000 |
| Packaging Method | Strip |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 2-2836561-1 OCEAN_2.0_APPLICATOR-S-042F055O



TE Part # 2-2836561-2 OCEAN_2.0_APPLICATOR-S-042F055O



TE Part # 2836561-1 OCEAN_2.0_APPLICATOR-S-042F055O



TE Part # 2836561-2 OCEAN_2.0_APPLICATOR-S-042F055O



Customers Also Bought



TE Part #1-5084615-0 0.8FH,P06H.5,200,30/Sn,TU




TE Part #2007394-7 SFP+ assy 2x4 Spring Fingers Outer LP Sn




TE Part #205736-4 15 RCPT SP/MS STD



TE Part #5084615-2 0.8FH,P06H.5,060,30/Sn,TU



TE Part #646773-1 Z-PACK 2MM HM,TYPE D/E,VR



TE Part #1460060-1 1.0/2.3 R/A PCB JACK, 50 OHM



TE Part #2018849-1 ASSY, SEATING TL, 6 ROW, 6 COL



TE Part #2132615-2 IMP100O,HMP,V4P8C,UG,DEW39,5.5



TE Part #5176374-2 AMP FH CONN REC V 60P (H=14)



Documents



Product Drawings

CONT.TDM.SPRING STRIP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5531216-3_B_c-5531216-3-b.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5531216-3_B_c-5531216-3-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5531216-3_B_c-5531216-3-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPMODU_INTERCONNECTION_SYSTEM_SECTION5_CONT

English

Product Specifications

Application Specification

English