



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Boots & Strain Relief



Protection & Strain Relief Accessory Type: **Strain Relief**

Primary Product Material: **Nylon**

Primary Product Color: **Natural**

Operating Temperature Range: **-20 – 105 °C [-4 – 221 °F]**

Features

Product Type Features

Insert Supplied	No
Protection & Strain Relief Accessory Type	Strain Relief
Product Type	Accessory

Body Features

Primary Product Material	Nylon
Primary Product Color	Natural

Usage Conditions

Operating Temperature Range	-20 – 105 °C[-4 – 221 °F]
-----------------------------	---------------------------

Packaging Features

Packaging Method	Package
Packaging Quantity	1

Other

Comment	Must use cap housing adapters when attaching strain reliefs to a cap housing. Two adapters required per housing., Strain relief part number represents one half of a
---------	--



strain relief. Two of a part number are required per connector.

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 3-350942-0 02P UMNL HDR ASSY R/A 94VO LF</p>	 <p>TE Part # 350787-1 02P UMNL PIN HDR ASSY 94VO</p>	 <p>TE Part # 350428-4 02P UMNL PIN HDR ASSY NATL AU</p>	 <p>TE Part # 350759-5 02P UMNL HDR ASSY PC V2 LF</p>
---	--	---	--



TE Part # 1-350942-0
02P UMNL HDR ASSY R/A 94VO



TE Part # 350786-3
02P UMNL HDR ASSY AU 94VO



TE Part # 350824-1
02P UMNL HDR ASSY PC 94VO



TE Part # 643226-1
02P UMNL HDR ASSY R/A 94VO



TE Part # 641964-1
02P UMNL PIN HDR ASSY POL 94VO



TE Part # 350824-4
02P UMNL HDR ASSY PC LF



TE Part # 350777-1
02P UMNL PLUG HSG



TE Part # 350428-1
02P UMNL PIN HDR ASSY NATL



TE Part # 641964-3
02P UMNL PIN HDR ASSY POL LF



TE Part # 350786-1
02P UMNL HDR ASSY 94VO



TE Part # 350778-1
02P UMNL CAP HSG



TE Part # 1-480699-0
02P UMNL CAP HSG NATL



TE Part # 1-480698-0
02P UMNL PLUG HSG NATL



TE Part # 643412-1
02P UMNL HDR ASSY POL 94VO




TE Part # 350831-1
02P UMNL HDR ASSY PC 94VO




TE Part # 350582-1
02P UMNL PIN HDR ASSY V2 NATL


Also in the Series | **Universal MATE-N-LOK**




Circular Power Connectors(2)



Connector Contacts(11)




Insertion & Extraction Tools(4)




Power Contacts(207)



Rectangular Boots & Strain Relief(35)



Rectangular Connector Adapters(7)



Rectangular Connector Hardware(1)



Rectangular Connector Housings(2)



Rectangular Connector Keying Plugs(3)



Rectangular Connector Locking(4)



Rectangular Connector Seals(26)




Rectangular Power Connectors(729)


Customers Also Bought




TE Part #206425-2
RECEPT ASSY, SZ 17-3, CPC



TE Part #1-640507-0
02P MR II CAP HSG



TE Part #5745175-2
CABLE CLAMP KIT, SZ 5



TE Part #5745136-3
SCREW RETAINER KIT



TE Part #640713-1
02P UMNL STR/REL & INSERT




TE Part #DP86-001D
1PSID MV DIFFERENTIAL PRESSURE
SENSOR



TE Part #193842-1
SKT ASSY., 2MM, 12-14 AWG



TE Part #193841-1
PIN, 2MM, 12-14 AWG



TE Part #5-1437723-9
T2310-P24=PLASTIC PLUG, 23-24P



TE Part #7-1437723-4
T2330-S24= PANEL MTG PLSTC RCPT

Documents



Product Drawings

[02P UMNL STR/RELIEVE](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_640713-2_AB_c-640713-2-ab.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_640713-2_AB_c-640713-2-ab.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_640713-2_AB_c-640713-2-ab.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

Product Environmental Compliance

[02P UMNL STR/RELIEVE](#)

English

[02P UMNL STR/RELIEVE](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English
