

61119-3 ✓ ACTIVE

AMP-IN

TE Internal #: 61119-3

PCB Terminals, Receptacle, PCB Hole Diameter 4.1 mm [.161 in], 24 – 20 AWG Wire Size, .2 – .6 mm² Wire Size, Crimp, Tin Plating, Reel

[View on TE.com >](#)



Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**

PCB Hole Diameter: **4.1 mm [.161 in]**

Mating Pin Diameter: **1.47 mm [.058 in]**

Accepts Wire Insulation Diameter (Max): **1.78 mm [.07 in]**

Accepts Wire Insulation Diameter Range: **1.14 – 1.78 mm [.045 – .07 in]**

Features

Product Type Features

PCB Terminal Mounting Style	Stud Mount
-----------------------------	------------

Configuration Features

Stud Hole	No
Terminal Angle	90 °

Contact Features

Contact Plating Material	Tin
PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm [.058 in]
Terminal Plating Material	Tin
Terminal Orientation	Right Angle

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment



Wire Insulation Support	With
-------------------------	------

Dimensions

Receptacle Terminal Stock Thickness	.25 mm[.01 in]
PCB Hole Diameter	4.1 mm[.161 in]
Accepts Wire Insulation Diameter (Max)	1.78 mm[.07 in]
Accepts Wire Insulation Diameter Range	1.14 – 1.78 mm[.045 – .07 in]
Wire Size	.2 – .6 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	7000
Packaging Method	Reel

Other

Comment	Machine applied applicator required.
---------	--------------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 91507-1
CCII .058 REC P.C. 24-20 ASSY



TE Part # 453850-1
INSERTION EXTRACTION TOOL



TE Part # 61323-2
058 R/A PIN REC 24-20 TPBECU




TE Part # 60804-3
RECPT .058 26-22 SN/BECU



TE Part # 60939-2
.058 DIA RECPT SN/BECU

Customers Also Bought



TE Part # 5100668-1
Z-PACK M.ASSY.154P.



TE Part # 4-2176070-2
3521 510R 1% 2W



TE Part # 87631-3
08 MODIV HSG COMP DR .100 POL



TE Part # 5787745-1
USB A R/A STAK ASSY THRU HOLE



TE Part # 120953-3
UPM EXPANDED RCPT ASSEMBLY




TE Part # 2-324955-1
TERMINAL,SOLIS R 16-14 8



TE Part # 58641-1
PRO-CRIMP TL & DIE MOD IV



TE Part # 5380598-2
RCR AU-SPR SN-CUP 018-040



Documents

Product Drawings

[PIN RECPT .058 R/A SN/BECU](#)

English

CAD Files

Customer View Model

[ENG_CVM_61119-3_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_61119-3_G.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_61119-3_G.2d_dxf.zip](#)

English

[3D PDF](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_61119-3_Y.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61119-3_Y.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61119-3_Y.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

English

Product Specifications

[Application Specification](#)

English



Product Environmental Compliance

TE Material Declaration

English

Instruction Sheets

Instruction Sheet (U.S.)

Japanese

Instruction Sheet (U.S.)

English

Insertion/Extraction Tool

English