
5531216-1 - ACTIVE

AMPMODU

TE Internal #: 5531216-1 Connector Contact, Socket, Cable-to-Cable, Gold, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size, Straight, Wire & Cable, 3 A, Signal View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Connector Contacts



Contact Type: Socket Connector System: Cable-to-Cable Contact Mating Area Plating Material: Gold Wire Size: .12 – .4 mm²

Features

Product Type Features

Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Contact Features

PCB Contact Termination Area Plating Material Thickness	1.27 μm[50 μin]				
Contact Mating Area Plating Material Thickness	.762 μm[30 μin]				
PCB Contact Termination Area Plating Material	Tin				
Contact Base Material	Phosphor Bronze				
Contact Type	Socket				
Contact Mating Area Plating Material	Gold				
Contact Orientation	Straight				
Contact Current Rating (Max)	3 A				
Termination Features					
Termination Features					
Termination Features Termination Method to Wire & Cable	Crimp				
	Crimp				
Termination Method to Wire & Cable	Crimp With				
Termination Method to Wire & Cable Mechanical Attachment					
Termination Method to Wire & Cable Mechanical Attachment Wire Insulation Support	With				
Termination Method to Wire & Cable Mechanical Attachment Wire Insulation Support PCB Mount Retention	With Without				

5531216-1

Connector Contact, Socket, Cable-to-Cable, Gold, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size, Straight, Wire & Cable, 3 A, Signal



Wire Size	.12 – .4 mm ²
Usage Conditions	
Operating Temperature Range	-65 – 105 °C, -40 – 85 °C[-85 – 221 °F][-40 – 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	15000
Packaging Method	Strip
Product Compliance	Strip Compliant
Product Compliance For compliance documentation, visit the product page on TE.com>	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant

SVHC > Threshold: Not Yet Reviewed

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

5531216-1

Connector Contact, Socket, Cable-to-Cable, Gold, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size, Straight, Wire & Cable, 3 A, Signal





TE Part # 2-2836561-1 OCEAN_2.0_APPLICATOR-S-042F055O



TE Part # 2-2836561-2 OCEAN_2.0_APPLICATOR-S-042F055O



TE Part # 2836561-1 OCEAN_2.0_APPLICATOR-S-042F055O



TE Part # 2836561-2 OCEAN_2.0_APPLICATOR-S-042F055O



Customers Also Bought



HDP-22,RCP1,SIZE 3,44 POSN	HDP-22,PLUG,SIZE 3,44 POSN	096 EURO TYPE C RECEPT AP ASSY	096 EURO TYPE C RECEPT AP A
ETE			
TE Part #3-2198617-7 Ni Plated Plastic Backshell, 37 Way, Str	TE Part #4-1617001-3 A07B932BZ1-0974 = A07 10AMP RE		

Documents

Product Drawings CONT.TDM.SPRING STRIP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5531216-1_B_c-5531216-1-b.2d_dxf.zip

5531216-1

Connector Contact, Socket, Cable-to-Cable, Gold, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size, Straight, Wire & Cable, 3 A, Signal



English

Customer View Model ENG_CVM_CVM_5531216-1_B_c-5531216-1-b.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5531216-1_B_c-5531216-1-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages AMPMODU_INTERCONNECTION_SYSTEM_SECTION5_CONT

English

Product Specifications Application Specification

English