



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

MINI AMP-IN 26-22 PTPHBZ

AMP-IN | AMP-IN and PC Board Disconnects

640663-1

TE Internal Number: 640663-1
Alias ID: 1191196, 1199408

Not EU RoHS or ELV Compliant

[Find Compliant Alternatives](#)

PCB Thickness (Recommended) **1.57 mm [.062 in]**

PCB Hole Diameter **1.4 mm [.055 in]**

Wire Insulation Diameter **1.02 – 1.78 mm [.04 – .07 in]**

Wire Size (AWG) **26 – 22**

Wire Size (mm²) **.12 – .4**

Product Drawings

MINI AMP-IN

PDF
English

CAD Files

3D PDF

PDF
English

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Product Specifications

Application Specification

Miniature AMP-IN Contacts And Miniature AMP-IN 2000 Contacts

PDF
English

Product Environmental Compliance

TE Material Declaration

MD_640663-1_05062014711_dmtec

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Wire Cutoff

No

Applies To

Printed Circuit Board

Insulated Wire Support **Yes**

Configuration Features

Stud Hole **No**

Terminal Angle **Straight**

Body Features

Plating Material **Tin-Lead**

Finish **Bright**

Contact Features

Terminal Size **Miniature**

Terminal Orientation **Straight**

Contact Plating Material **Tin**

Termination Features

Termination Method **Crimp**

Dimensions

PCB Thickness (Recommended) **1.57 mm [.062 in]**

PCB Hole Diameter **1.4 mm [.055 in]**

Wire Insulation Diameter **1.02 – 1.78 mm [.04 – .07 in]**

Wire Size (AWG) **26 – 22**

Wire Size (mm²) **.12 – .4**

Extension Below Board **3.43 mm [.135 in]**

Packaging Features

Packaging Method **Reel**

Packaging Quantity **10000**

Other

Comment **Machine applied applicator required., No hand tools available., Not available in loose piece.**

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)