


#### AMP .050 Series

TE Internal #: 5650231-1 Standard Edge Connectors, Board-to-Board, 240 Position, .05 in [1.27 mm] Centerline, 120 Dual Positions, 2 Row, Brown, AMP .050 Series

#### View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > Standard Edge Connectors



#### Connector System: Board-to-Board

Number of Positions: 240

Centerline (Pitch): 1.27 mm [.05 in ]

Number of Dual Positions: 120

Number of Rows: 2

#### Features

#### **Product Type Features**

Connector SystemBoard-to-BoardConnector & Housing TypeReceptacleConnector & Contact Terminates ToPrinted Circuit Board

## **Configuration Features**

Number of Positions	240
Number of Dual Positions	120
Number of Rows	2
Connector Contact Load Condition	Fully Loaded
PCB Mount Orientation	Vertical
Electrical Characteristics	
Operating Voltage	203 VAC
Contact Features	
Contact Features PCB Contact Termination Area Plating Material Thickness	2.54 μm[100 μin]
	2.54 μm[100 μin] Socket
PCB Contact Termination Area Plating Material Thickness	
PCB Contact Termination Area Plating Material Thickness Contact Type	Socket
PCB Contact Termination Area Plating Material Thickness Contact Type Contact Mating Area Plating Material Thickness	Socket .76 µm
PCB Contact Termination Area Plating Material Thickness Contact Type Contact Mating Area Plating Material Thickness Contact Mating Area Plating Material	Socket .76 µm Gold

### 5650231-1

Standard Edge Connectors, Board-to-Board, 240 Position, .05 in [1.27 mm] Centerline, 120 Dual Positions, 2 Row, Brown, AMP .050 Series



PCB Contact Termination Area Plating Material	Tin-Lead
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	1 A
Termination Features	
Termination Post & Tail Length	3.56 mm[.14 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mating Retention	Without
Mating Alignment	With
PCB Mount Alignment	With
PCB Mount Retention	With
PCB Mount Retention Type	Boardlock
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	1.27 mm[.05 in]
Housing Color	Brown
Housing Material	High Temperature Thermoplastic

## Dimensions

Daughter Board Thickness	1.37 – 1.78 mm[.054 – .07 in]
Card Slot Depth	7.62 mm[.3 in]
Connector Height	13.97 mm[.55 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Box
Packaging Quantity	35
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant

**C** For support call+1 800 522 6752

#### 5650231-1

Standard Edge Connectors, Board-to-Board, 240 Position, .05 in [1.27 mm] Centerline, 120 Dual Positions, 2 Row, Brown, AMP .050 Series



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



# Also in the Series AMP .050 Series




# **Customers Also Bought**

**C** For support call+1 800 522 6752

#### 5650231-1

Standard Edge Connectors, Board-to-Board, 240 Position, .05 in [1.27 mm] Centerline, 120 Dual Positions, 2 Row, Brown, AMP .050 Series





# Documents

**Product Drawings** CONNECTOR ASSEMBLY, DUAL POSIT

English

**CAD** Files

3D PDF

English

**Customer View Model** ENG\_CVM\_5650231-1\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_5650231-1\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_5650231-1\_O.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

**Product Specifications Application Specification** 

English