

60900-4 ✓ ACTIVE

FASTON | Special Purpose Terminals


TE Internal #: 60900-4

Quick Disconnects, Receptacle, 24 – 20 AWG Wire Size, .2 – .51 mm² Wire Size, Mating Tab Width .062 in [1.57 mm], Straight, Special Purpose Terminals

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: .2 – .51 mm²

Mating Tab Width: 1.57 mm [.062 in]

Mating Tab Thickness: .81 mm [.032 in]

Features

Product Type Features

Terminates To	Wire & Cable
Wire Stop	No
Wire/Cable Type	Regular Wire
Sealable	No

Configuration Features

Connection Capacity	Single
---------------------	--------

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	1.57 mm[.062 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Accepts Wire Insulation Diameter Range	1.02 – 2.03 mm [.04 – .08 in]
Overall Length	11.73 mm [.462 in]
Receptacle Terminal Stock Thickness	.25 mm [.01 in]
Wire Size	.2 – .51 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Industry Standards

UL Rating	Listed
-----------	--------

Packaging Features

Packaging Quantity	10000
Packaging Method	Strip/Reel

Other

Line	Budget
------	--------

Product Compliance













[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 61813-1 093 FASTON REC 26-22 AWG TPBR</p>	 <p>TE Part # 63391-2 093 FASTON TAB REC 22-18 AWG TPBR</p>	 <p>TE Part # 1-160760-2 110 FASTON,REC.,30-26 AWG,PTPBR</p>	 <p>TE Part # 42765-1 TAPER TAB 078 REVERSE REEL REC 24-22TPBR</p>
 <p>TE Part # 62352-1 50 FASTON TAB 24-20 AWG TPBZ</p>	 <p>TE Part # 2-2836325-1 OC-PA-S-FM-055F0900-001-0047</p>	 <p>TE Part # 2-2836325-2 OC-PA-S-FA-055F0900-001-0047</p>	 <p>TE Part # 2836325-1 OC-AT-S-FM-055F0900-001-0047</p>
 <p>TE Part # 2836325-2 OC-AT-S-FA-055F0900-001-0047</p>	 <p>KIT TE Part # 7-2836325-7 OC-055F0900-CRIMPTOOLINGKIT REPRESENTATION ONLY</p>	 <p>TE Part # 969207-2 FLA-STE-KONT2,8X0,8</p>	 <p>TE Part # 969208-2 FLA-STE-KONT6,3X0,8</p>

Also in the Series | [Special Purpose Terminals](#)



PCB Terminals(2)



Quick Disconnects(9)

Customers Also Bought




TE Part #1658537-1
D-Sub Conn Contacts: Socket,
Phosphor Bronze, Signal, Size 20



TE Part #520988-2
ULTRA-POD 250 ASSY REC 22-18
AWG TPBR



TE Part #172211-4
EIS CAP HSG FREE HANG 4P
NATUTURAL




TE Part #929053-1
MQS ABDEKA M.HEB32P




TE Part #2035363-4
1X6 GENERATION Y ASSY KEYC CPA




TE Part #87499-5
03 MODIV HSG SR MRKD .100CL



TE Part #1-87523-8
MOD IV RECP PLTD 30 DPLX



TE Part #2035170-1
CONTACT,FEMALE, 0.64, 20-22, C



TE Part #5070012033
RNF-100-3/64-CL-STK

Documents

Product Drawings

[WRAP TYPE TAB REC 24-22 AWG TPBR](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_60900-4_AC.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_60900-4_AC.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60900-4_AC.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[82004 FASTON Terminals \(Insulated and Uninsulated\) Catalog - FASTON Receptacles Section](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[TE Material Declaration](#)

English