
5787246-1 - ACTIVE

TE Internal #: 5787246-1 DC Jack Connectors, Board-to-Board, 5 Position, 5 mm [.197 in] Centerline, Plug, 10.8 VDC, Right Angle, Printed Circuit Board, Power & Signal

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: Board-to-Board

Number of Positions: 5

Centerline (Pitch): 5 mm [.197 in]

Connector & Housing Type: Plug

Operating Voltage: 10.8 VDC

Features

Product Type Features

Connector System	Board-to-Board
Connector & Housing Type	Plug
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	5
PCB Mount Orientation	Right Angle
Electrical Characteristics	
Electrical Characteristics Operating Voltage	10.8 VDC
	10.8 VDC
Operating Voltage	10.8 VDC 2.54 μm[100 μin]
Operating Voltage Contact Features	
Operating Voltage Contact Features Contact Mating Area Plating Material Thickness	2.54 μm[100 μin]

C For support call+1 800 522 6752

5787246-1

DC Jack Connectors, Board-to-Board, 5 Position, 5 mm [.197 in] Centerline, Plug, 10.8 VDC, Right Angle, Printed Circuit Board, Power & Signal



Mechanical Attachment

PCB Mount Retention	Without
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	5 mm[.197 in]
Usage Conditions	
Operating Temperature Range	-30 – 70 °C[-22 – 158 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	88
Packaging Method	Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
Tor compliance documentation, visit the product page of TE.com/	
EU RoHS Directive 2011/65/EU	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC		
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free		

Solder Process Capability

EU ELV Directive 2000/53/EC

Reflow solder capable to 260°C

Compliant

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

5787246-1

DC Jack Connectors, Board-to-Board, 5 Position, 5 mm [.197 in] Centerline, Plug, 10.8 VDC, Right Angle, Printed Circuit Board, Power & Signal




Compatible Parts



Customers Also Bought



= TE	=TE			
TE Part #2083112-4	TE Part #52042-3	TE Part #137963J001	TE Part #61810-2	
CABLE ASSY IND. USB-IND. USB	TERMINAL,R PG 6 1/4	V2-1.5-0-SP-SM	FASTON .250 (6.3 MM) RECEPTACLE	
TYPE A			TPBR	



CABLE ASSY IND. USB-IND. USB TYPE A

Documents

Product Drawings HDR ASY,RA,LKEY,STR TAIL,10.8V

English

CAD Files 3D PDF

5787246-1

DC Jack Connectors, Board-to-Board, 5 Position, 5 mm [.197 in] Centerline, Plug, 10.8 VDC, Right Angle, Printed Circuit Board, Power & Signal



3D

Customer View Model ENG_CVM_CVM_5787246-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5787246-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5787246-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages POWER_CONNECTORS_CATALOG_SEC09_LAPTOPS_PORTABLES

English

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Application Specification

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English