

641623-1 ✓ ACTIVE

MTA 156

TE Internal #: 641623-1

PCB Connector Keying, Keying Plug, -55 – 105 °C [-67 – 221 °F],

MTA 156

[View on TE.com >](#)



Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Keying



Connector Keying Accessory Type: **Keying Plug**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

Connector Keying Accessory Type	Keying Plug
---------------------------------	-------------

Body Features

Primary Product Material	Nylon 6/6
--------------------------	-----------

Primary Product Color	Natural
-----------------------	---------

Usage Conditions

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Packaging Quantity	10
--------------------	----

Other

Comment	Used with keyed headers.
---------	--------------------------

Product Compliance









[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer









This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 640629-1 MTA156 KEYING PLUG</p>	 <p>TE Part # 1-640551-4 14P MTA156 COVER</p>	 <p>TE Part # 1-640551-3 13P MTA156 COVER</p>	 <p>TE Part # 1-640551-0 10P MTA156 COVER</p>
 <p>TE Part # 1-640551-6 16P MTA156 COVER</p>	 <p>TE Part # 1-640551-2 12P MTA156 COVER</p>	 <p>TE Part # 1-640551-8 18P MTA156 COVER</p>	 <p>TE Part # 1-640551-1 11P MTA156 COVER</p>



Also in the Series | MTA 156




Customers Also Bought






TE Part #62613-2
RING .190 12-10 AWG 0245 TPCRS



TE Part #63306-1
250 FASTON REC 18-14 AWG BR




TE Part #202237-2
III+ SOC,SOLTAB,TIN-LEAD,LP



TE Part #4-643817-2
12P MTA156 CONN ASSY 18AWG LF



TE Part #58338-1
MTA 50/100/156 PNEUMATIC BENCH
MOUNT



TE Part #8974113001
FLT0111-0.50-4

Documents

Product Drawings

MTA156 KEYING PLUG (10/STRIP)

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_641623-1_F.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_641623-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_641623-1_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

MTA, CST-100 II, SL-156 and AMP Economy Power (EP) Connectors

English

Product Specifications

Application Specification

Japanese

Application Specification

English



[MTA 156 Ribbon Cable Connector Assemblies \(English And Spanish\)](#)

English

[MTA 156 Ribbon Cable Connector Assemblies \(English And Spanish\)](#)

Japanese

[Product Environmental Compliance](#)

[TE Material Declaration](#)

English