


### Z-PACK | Z-PACK HM-Zd

TE Internal #: 6469081-1 High Speed Backplane Connectors, Board-to-Board, 60 Position, Mating Alignment, Polarization Mating Alignment Type, 6 Row, 10 Column, Z-PACK HM-Zd

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > High Speed Connectors



Connector System: Board-to-Board Number of Positions: 60 Row-to-Row Spacing: 1.5 mm [.059 in] Mating Alignment: With

Mating Alignment Type: Polarization

### Features

Connectivity

### Product Type Features

Connector System	Board-to-Board					
PCB Connector Assembly Type	PCB Mount Receptacle					
Shroud Style	Fully Shrouded					
Sealable	No					
Connector & Contact Terminates To	Printed Circuit Board					
Configuration Features						
Pairs per Column	3					
Number of Ground Positions	30					
Card Slot Centerline	20.3 mm[.8 in]					
Number of Pairs	30					
Number of Signal Positions	60					
Number of Positions	60					
Number of Rows	6					
Number of Columns	10					

High Speed Backplane Connectors, Board-to-Board, 60 Position, Mating Alignment, Polarization Mating Alignment Type, 6 Row, 10 Column, Z-PACK HM-Zd



PCB Mount Orientation	Right Angle
Guide Location	Unguided
Electrical Characteristics	
Operating Voltage	250 VAC
Signal Characteristics	
Data Rate	≤12 Gb/s
Body Features	
Shield Material	Phosphor Bronze
Contact Features	
Contact Layout	Matrix
Contact Type	Receptacle
Contact Mating Area Plating Material Thickness	.76 µm[30 µin]
Contact Mating Area Plating Material	Gold
Contact Base Material	Copper Nickel Silicon
Contact Current Rating (Max)	.7 A
Termination Features	
Termination Post & Tail Length	2.2 mm[.086 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
Mating Alignment	With
Mating Alignment Type	Polarization
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polyester - GF
Housing Color	Gray
Centerline (Pitch)	2.5 mm[.098 in]
Dimensions	
Connector Length	24.95 mm[.988 in]
Connector Height	14.85 mm[.584 in]
Connector Width	23.4 mm[.921 in]
Row-to-Row Spacing	1.5 mm[.059 in]

### Usage Conditions

**C** For support call+1 800 522 6752

High Speed Backplane Connectors, Board-to-Board, 60 Position, Mating Alignment, Polarization Mating Alignment Type, 6 Row, 10 Column, Z-PACK HM-Zd



-65 – 105 °C[-85 – 221 °F]
Signal
UL 94V-0
Tube
Compliant
Compliant Compliant

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**

High Speed Backplane Connectors, Board-to-Board, 60 Position, Mating Alignment, Polarization Mating Alignment Type, 6 Row, 10 Column, Z-PACK HM-Zd





# Also in the Series Z-PACK HM-Zd

TE Part # 2274073-1

HM ZD 3 PR HEADER, SEQ, LF




TE Part # 6469598-1

HM ZD 3 PR HEADER, SEQ, LF

	night speed backplane connectors(+0)	Inscruon & Extraction roots

## Customers Also Bought



High Speed Backplane Connectors, Board-to-Board, 60 Position, Mating Alignment, Polarization Mating Alignment Type, 6 Row, 10 Column, Z-PACK HM-Zd



### Documents

**Product Drawings** HMZD 3PR, RECEPTACLE ASSEMBLY

English

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_6469081-1\_E.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6469081-1\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6469081-1\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages

High Speed Backplane Connectors catalog - Z-PACK HM-Zd Connector

English

**Product Specifications** Application Specification

English

**Product Environmental Compliance** MD\_6469081-1\_022320172229\_dmtec

English

MD\_6469081-1\_022320172229\_dmtec

English