MAG-MATE

TE Internal #: 63463-1

Magnet Wire Terminals, Tab, Mating Tab Width .118 in [3 mm], Size

2, .72 mm Magnet Wire, 21 AWG Magnet Wire, Insulation

Displacement (IDC), MAG-MATE

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Tab

Mating Tab Width: 3 mm [.118 in]

Mating Tab Thickness: .77 mm [.03 in]
Compatible With Cavity Size: Size 2

Magnet Wire Size: .72 mm

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
Sealable	No

Body Features

Compatible With Cavity Size	Size 2	
-----------------------------	--------	--

Contact Features

Magnet Wire Terminal Type	Tab
Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.77 mm[.03 in]
Terminal Plating Material	Tin
Terminal Orientation	Twisted

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)

Dimensions



Terminal Height	7.05 mm[.27 in]
Magnet Wire Size	21 AWG
Stock Thickness (Magnet Wire Side)	.41 mm[.016 in]
Overall Product Length	21.21 mm[.835 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Operation/Application	
Compatible With Wire Base Material	Aluminum, Copper
Identification Marking	
Identification Number	15
Packaging Features	
Packaging Quantity	5000
Packaging Method	Reel, Reel/Carton
Other	

Product Compliance

Comment

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Single magnet wire only.

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 63601-2 MAG-MATE 250 FAST TAB 22-20



TE Part # 63663-2 MAG-MATE 22-20 187 FTAB TPBR



TE Part # 62511-1 MAG-MATE 22-20 187 F TAB TPBR





MAG-MATE 187 FTAB #23 TPBR



TE Part # 62511-2 MAG-MATE 22-20 187 F TAB TPBR








Also in the Series | MAG-MATE



Insertion & Extraction Tools(8)



Magnet Wire Terminals(464)





Customers Also Bought



Documents

Product Drawings

MAG-MATE W/118 CONN TAB TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63463-1_S.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63463-1_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63463-1_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English