





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	H	REV PER 05-000864	06APR05	JR PD

- CONTINUOUS STRIP ON REELS.
- MATING TAB THK TO BE 0.508±0.025 [.020±.001]
- WIRE SIZE IS #18-#14 AWG.
- INSULATION RANGE IS 1.52-3.81 [.060-.150] DIA.



PART NO	WIRE		INSULATION DIAMETER (MAX)	WIRE BARREL CRIMP			TENSILE STRENGTH POUNDS	
	QTY	SIZE AWG		WIDTH	CRIMP HEIGHT	CRIMPER		ANVIL
63512-1	1	14	.150	.120	.071	F	FLAT	50
	1	16			.063			30
	1	18			.057			20

OBSOLETE		000080 MIN TIN	63512-4
OBSOLETE	REVERSE REELING		63512-3
			63512-1
	REELING	FINISH	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN JR RUTH 9/29/88	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
	0 PLC ± - 1 PLC ± - 2 PLC ± 0.25 [.010] 3 PLC ± - 4 PLC ± - ANGLES ± -	CHK MS FEHER 9/30/88 APVD C MEYERS 9/30/88 PRODUCT SPEC APPLICATION SPEC	
MATERIAL 4M BRASS	FINISH SEE TABLE	WEIGHT -	SCALE 4:1 SHEET 1 OF 1 REV H

CUSTOMER DRAWING