



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**
Connector & Housing Type: **Plug, Receptacle**
Connector System: **Wire-to-Wire**
Number of Positions: **2**
Centerline (Pitch): **19.05 mm [.705 in]**

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug, Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Power Positions	0
Number of Signal Positions	0
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VDC
-------------------	---------

Contact Features

Contact Retention Within Housing	Without
Contact Type	Tab

Termination Features

Termination Method to Wire & Cable	Crimp
Wire/Cable Type	Discrete Wire



Wire Type	Stranded
-----------	----------

Mechanical Attachment

Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	19.05 mm[.705 in]
Housing Color	Red
Housing Material	Polycarbonate

Dimensions

Wire Size	6088 – 27629 CMA
Width	35.05 mm[1.38 in]
Accepts Wire Insulation Diameter Range	10 mm[.394 in]
Height	15.88 mm[.625 in]
Length	48.23 mm[1.9 in]

Usage Conditions

Operating Temperature Range	-20 – 105 °C[-4 – 221 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Agency/Standard Number	E28476
Agency/Standard	UL
UL Rating	Recognized

Packaging Features

Packaging Method	Bag
Packaging Quantity	157

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant









China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 647879-1 SERIES 50&75 CONTACT,10-12 AWG</p>	 <p>TE Part # 647877-1 SERIES 50 & 75 CONTACT,6 AWG</p>	 <p>TE Part # 647878-1 SERIES 50 & 75 CONTACT,8 AWG</p>	 <p>TE Part # 647756-1 COLD HD CONT 50A BAT CONN TAPE</p>
 <p>TE Part # 647754-1 COLD HD CONT 50A BAT CONN TAPE</p>	 <p>TE Part # 647755-1 COLD HD CONT 50A BAT CONN TAPE</p>		

Also in the Series | AMP Power Series - 50



Rectangular Connector Adapters(1)




Rectangular Power Connectors(13)

Customers Also Bought




TE Part #182642-1
17-16 CPC PLUG




TE Part #174663-2
12 POS HSG MARK II+



TE Part #151667-2
FF 375 REC 4-6MM2 TPBR



TE Part #180352-2
FF 250 TAB 4-6MM2 PTBR




TE Part #280074-2
FF 375 TAB 6-10MM2 PTBR



TE Part #62048-2
250 FASTON REC 18-14 AWG TPBR



TE Part #964314-1
TIMER, RECEPTACLE AND TAB



TE Part #1746979-1
ECU 121P HDR ASSY-PBT

Documents

Product Drawings
SERIES 50 HOUSING,RED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_647845-3_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_647845-3_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_647845-3_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED

English

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Application Specification

English