
699707-1 <

AMP | Timer Connector System

TE Internal #: 699707-1 Housing for Female Terminals, Wire-to-Wire, 2 Position, .433 in [11 mm] Centerline, Sealable, Black, Timer Connector System View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 11 mm [.433 in]

Sealable: Yes

All TIMER, CONNECTOR HOUSING (543)

Features

Product Type Features

Connector & Housing Shape

Connector & Housing Type

Rectangular

Housing for Female Terminals

Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Body Material	PA
Primary Product Color	Black
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without

699707-1

Housing for Female Terminals, Wire-to-Wire, 2 Position, .433 in [11 mm] Centerline, Sealable, Black, Timer Connector System



Mating Alignment Type	Polarized	
Mating Alignment	With	
Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Centerline (Pitch)	11 mm[.433 in]	
Dimensions		
Product Width	21.75 mm[.856 in]	
Product Length	21.73 mm[.855 in]	
Product Height	15.9 mm[.626 in]	
Packaging Features		
Packaging Method	Box	
Other		
Serviceable	No	
Connector Position Assurance Capable	No	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Calder Dragon Caradaility			

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits as defined in the Annexes of Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

699707-1

Housing for Female Terminals, Wire-to-Wire, 2 Position, .433 in [11 mm] Centerline, Sealable, Black, Timer Connector System




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | Timer Connector System



and the second sec			
Automotive Terminals(138)	Crimp Terminal Housings(13)	Insertion & Extraction Tools(20)	Other Automotive Connector Accessories(1)



Customers Also Bought

699707-1

Housing for Female Terminals, Wire-to-Wire, 2 Position, .433 in [11 mm] Centerline, Sealable, Black, Timer Connector System





Documents

Product Drawings 2 WAY RECPT HSG BLACK

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_699707-1_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_699707-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_699707-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Timer Interconnection System

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English