





LIGHT PIPES SECURED TO METAL CAGE COVER



COVER DESIGNED TO SNAP ONTO THE SFP+ CAGE ASSEMBLY



LIGHT PIPE NOT SHOWN FOR CLARIFY






PART NO. AND WEEK/YEAR DATE CODE TO BE PRINTED ON BACK OF COVER APPROXIMATELY AS SHOWN. SEE TABLE BELOW FOR DATE CODE INFORMATION.

WEEK/YEAR DATE CODE TABLE	
WK	01 THRU 52 OR 53 EXAMPLE: 01 = FIRST WEEK OF YEAR 52 = LAST WEEK OF YEAR
YR	19, 20, 21, ETC. EXAMPLE: YEAR 2019 = 19.

- MATERIAL:  
COVER: COPPER ALLOY  
LIGHT PIPE: POLYCARBONATE (94-V0 RATED)
- THIS LIGHT PIPE ASSEMBLY IS TO BE USED WITH THE SFP+ 1X4 CAGE ASSEMBLY P/N 7475404\*\*
- IT IS RECOMMENDED THAT THE CAGE BE PRESSED INTO OR SOLDERED TO THE PCB PRIOR TO ASSEMBLING THE LIGHT PIPE ASSEMBLY.
- No RoHS EXEMPTIONS.

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
▽ = 0	DIMENSION UNITS	SCALE	CURRENT REV DESC: SEE REVISION TABLE
▽ = 0	mm	2:1	
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± 1.0°		
▽ = 0	4 PLACES	±	EC NO: 610070
▽ = 0	3 PLACES	±	DRWN: PKUMARG 2017/03/03
▽ = 0	2 PLACES	± 0.15	CHK'D: TKUMARKC 2019/01/08
▽ = 0	1 PLACE	± 0.25	APPR: RCHEN08 2019/01/09
▽ = 0	0 PLACES	±	INITIAL REVISION:
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: PKUMARG 2017/03/03
▽ = 0	THIRD ANGLE PROJECTION		APPR: RCHEN08 2019/01/09
	DRAWING	SERIES	DOCUMENT NUMBER
	C-SIZE	74754	747540041
			DOC TYPE
			PSD
			DOC PART
			ASY
			REVISION
			C
			MATERIAL NUMBER
			747540041
			CUSTOMER
			SHEET NUMBER
			1 OF 3





HOST PCB LAYOUT NOTES (SCALE 10:1)

1. LED SHOULD BE PLACED RELATIVE TO THE SFP CONNECTOR POST HOLES
2. LAYOUT APPLIES TO EACH PORT



SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE															
= 0		mm		3:1		<p><b>molex</b></p> <p>SFP+ 1X4 LIGHT PIPE ASSEMBLY, LOW PROFILE</p> <p>PRODUCT CUSTOMER DRAWING</p> <p>EC NO: 610070            DRWN: PKUMARG 2017/03/03            CHK'D: TKUMARKC 2019/01/08            APPR: RCHEN08 2019/01/09</p> <p>INITIAL REVISION:            DRWN: PKUMARG 2017/03/03            APPR: RCHEN08 2019/01/09</p>													
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)																	
= 0		ANGULAR TOL ± 1.0°																	
= 0		4 PLACES ±																	
= 0		3 PLACES ±																	
= 0		2 PLACES ± 0.15		DOCUMENT NUMBER		747540041		DOC TYPE		PSD		DOC PART		ASY		REVISION		C	
= 0		1 PLACE ± 0.25		MATERIAL NUMBER		747540041		CUSTOMER				SHEET NUMBER		2 OF 3					
= 0		0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		C-SIZE		SERIES		74754					





LIGHT PIPES SECURED TO METAL CAGE COVER




COVER DESIGNED TO SNAP ONTO THE SFP+ CAGE ASSEMBLY



1. MATERIAL:  
COVER: COPPER ALLOY  
LIGHT PIPE: POLYCARBONATE (94-V0 RATED)
2. THIS LIGHT PIPE ASSEMBLY IS TO BE USED WITH THE SFP+ 1X4 CAGE ASSEMBLY P/N 7475404\*\*
3. IT IS RECOMMENDED THAT THE CAGE BE PRESSED INTO OR SOLDERED TO THE PCB PRIOR TO ASSEMBLING THE LIGHT PIPE ASSEMBLY.
4. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)

ENTER DESCRIPTION EC NO: USY2009-0023 DRAWN BY: CHYDARINWE 2008/07/11 CHECKED BY: CHYDARINWE 2008/07/14 APPROV: K JANOTA 2008/07/22 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▼=0 ▽=0	mm ± REF. INCH ± REF. 4 PLACES ± REF. 3 PLACES ± REF. 2 PLACES ± 0.15 ± REF. 1 PLACE ± 0.25 ± REF. ANGULAR ± 1°	MM ONLY	4:1	METRIC	DRAWN BY: K LLOYD DATE: 2007/08/28 CHECKED BY: MA JOHNSTON DATE: 2007/08/28 APPROVED BY: RMAHMOOD DATE: 2007/08/28	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. 747540041		DOCUMENT NO. SD-74754-0041		TITLE: SFP+ 1X4 LIGHT PIPE ASSEMBLY, LOW PROFILE
	SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		MOLEX INCORPORATED		SHEET NO. 1 OF 2

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



HOST PCB LAYOUT NOTES (SCALE 10:1)

1. LED SHOULD BE PLACED RELATIVE TO THE SFP CONNECTOR POST HOLES
2. LAYOUT APPLIES TO EACH PORT

<b>ENTER DESCRIPTION</b> IEC NO. USY2009-0023 DRAWN BY 2008/07/14 CHYKARINE APPROVED BY 2008/07/22 APPR:KJANTA	<b>QUALITY SYMBOLS</b> ▽=0 ▽=0	<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b>		<b>DIMENSION STYLE</b> MM ONLY	<b>SCALE</b> 4:1	<b>DESIGN UNITS</b> METRIC	THIRD ANGLE PROJECTION						
		4 PLACES ± --- ± REF.	3 PLACES ± --- ± REF.	2 PLACES ± 0.15 ± REF.	1 PLACE ± 0.25 ± REF.	ANGLULAR ± 1°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY DATE K LLOYD 2007/08/28	CHECKED BY DATE MA JOHNSTON 2007/08/28	APPROVED BY DATE RMAHMOOD 2007/08/28	MATERIAL NO. 747540041	DOCUMENT NO. SD-74754-0041	SHEET NO. 2 OF 2
		MOLEX INCORPORATED											
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1