

745229-4 ✓ ACTIVE

## AMPLIMITE


TE Internal #: 745229-4

D-Sub Connector Contacts, Pin, Size 20, Brass, Gold, Crimp, 22 – 18 AWG Wire Size, .4 – .8 mm<sup>2</sup> Wire Size, Cable-to-Cable, Wire & Cable, 3.1 A, Signal

[View on TE.com >](#)



Connectors > D-Shaped Connectors > D-Sub Connector Contacts > D-Sub Connector Contacts: Pin, Brass, Signal, Size 20



Contact Type: **Pin**

D-Sub Contact Size: **20**

Contact Base Material: **Brass**

Contact Mating Area Plating Material: **Gold**

Termination Method to Wire & Cable: **Crimp**

[All D-Sub Connector Contacts: Pin, Brass, Signal, Size 20 \(55\)](#)

## Features

### Product Type Features

Product Type	Contact
Grade	Standard
Connector System	Cable-to-Cable
Connector & Contact Terminates To	Wire & Cable

### Body Features

Color Code	Yes
------------	-----

### Contact Features

	30 µin
Pin Diameter	1.02 mm[.04 in]
Contact Color Bands	Green
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Gold Flash



Contact Type	Pin
D-Sub Contact Size	20
Contact Base Material	Brass
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	3.1 A

### Termination Features

	.391 in
Termination Method to Wire & Cable	Crimp

### Mechanical Attachment

Contact Retention Type Within Housing	Snap-In
Wire Insulation Support	Without

### Dimensions

	.068 in
Wire Size	.4 – .8 mm <sup>2</sup>

### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

### Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

### Other

Comment	Wire insulation diameter is limited by the connector housing cavity and clearance for the insertion/extraction tool.
---------	--

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)



Candidate List Declared Against: JAN 2022  
(223)  
SVHC > Threshold:  
Not Yet Reviewed

Halogen Content  
Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability  
Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 1579007-9  
EXTRACTION TOOL



TE Part # 91513-1  
CCII HD-20 PIN SKT 22-18 ASSY



TE Part # 91285-1  
INSERT/EXTRACT TOOL ASSEMBLY



TE Part # 2-2836119-1  
OCEAN-2.0-APPLICATOR-S-062F



TE Part # 2-2836119-2  
OCEAN-2.0-APPLICATOR-S-062FA



TE Part # 2836119-1  
OCEAN-2.0-APPLICATOR-S-062F



TE Part # 2836119-2  
OCEAN-2.0-APPLICATOR-S-062FA


### Customers Also Bought



TE Part #5205207-1  
HD RECPT ASSY SIZE 3




TE Part #5205208-1  
D-Sub Crimp: Plug, Signal, 25 Posn,  
Pin Size 20, Shell Size 3



TE Part #745230-4  
20 DF SOCKET CONTACT L.P.



TE Part #2-2176054-8  
RLP73K 2A R68 5% 5K RL



TE Part #208101-8  
LATCH BLOCK (SZ 1-4)



TE Part #745255-2  
SPRING LATCH 2/BAG



TE Part #5745967-4  
25 RCPT SP/FMS STD



TE Part #413779-3  
COML BNC,50 OHM, HEX CRIMP



TE Part #CN1020-000  
D-436-36-COLD

## Documents

### Product Drawings

[PIN CONT 20DF L.P.](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_745229-4\\_AA.2d\\_dxf.zip](#)

English

### 3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_745229-4\\_AA.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_745229-4\\_AA.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

## Datasheets & Catalog Pages



### Signal Contacts

English

---

### Product Specifications

#### Application Specification

English

#### Application Specification

English

---

### Product Environmental Compliance

#### MD\_745229-4\_01272017418\_dmtec

English

#### MD\_745229-4\_01272017418\_dmtec

English

---

### Instruction Sheets

#### Instruction Sheet (U.S.)

English