
735427-2 - ACTIVE

FASTON | FASTON 110

TE Internal #: 735427-2 PCB Terminals, Tab, Mating Tab Width 2.79 mm [.11 in], PCB Hole Diameter 1.1 mm [.043 in], Through Hole - Solder, Tin Plating, Brass, Bag, FASTON 110

View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: Tab

PCB Thickness (Recommended): 1.57 – 2.36 mm [.062 – .093 in]

Mating Tab Width: 2.79 mm [.11 in]

Mating Tab Thickness: .79 mm [.031 in]

PCB Hole Diameter: 1.1 mm [.043 in]

Features



Configuration Features

Stud Hole	No
Terminal Angle	180 °
Contact Features	
Contact Plating Material	Tin
PCB Terminal Type	Tab
Mating Tab Width	2.79 mm[.11 in]
Mating Tab Thickness	.79 mm[.031 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	2.8
Terminal Orientation	Straight
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board

C For support call+1 800 522 6752

PCB Terminals, Tab, Mating Tab Width 2.79 mm [.11 in], PCB Hole Diameter 1.1 mm [. 043 in], Through Hole - Solder, Tin Plating, Brass, Bag, FASTON 110



Mechanical Attachment

Wire Insulation Support	With
Dimensions	
Extension Below Board	3.8 mm[.149 in]
PCB Thickness (Recommended)	1.57 – 2.36 mm[.062 – .093 in]
PCB Hole Diameter	1.1 mm[.043 in]
Profile Height from PCB	8.6 mm[.343 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Saldar Pragage Capability	Maya calder capable to 245°C	

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

PCB Terminals, Tab, Mating Tab Width 2.79 mm [.11 in], PCB Hole Diameter 1.1 mm [. 043 in], Through Hole - Solder, Tin Plating, Brass, Bag, FASTON 110




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



-TE	O TE		-= TE
TE Part # 63849-1	TE Part # 1-725996-2	TE Part # 62262-1	TE Part # 1-1217121-1
250 FASTON TAB TPBR	110 FASTON,FLAG,PCB TAB,TPBR	250 FASTON TAB TPBR	110 FASTON,PCB TAB,TPBR


Also in the Series | FASTON 110



Customers Also Bought

PCB Terminals, Tab, Mating Tab Width 2.79 mm [.11 in], PCB Hole Diameter 1.1 mm [. 043 in], Through Hole - Solder, Tin Plating, Brass, Bag, FASTON 110





TE Part #8-1768033-1 LEB-1325P-9

Documents

Product Drawings

110 FASTON TAB TPBR

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_735427-2_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_735427-2_K.3d_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_735427-2_K.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Environmental Compliance MD_735427-2_052320122218

English

MD_735427-2_052320122218

English

PCB Terminals, Tab, Mating Tab Width 2.79 mm [.11 in], PCB Hole Diameter 1.1 mm [. 043 in], Through Hole - Solder, Tin Plating, Brass, Bag, FASTON 110

