



MATE-N-LOK | Mini-Universal MATE-N-LOK

TE Internal #: 794772-6

Rectangular Connector Seals, Interface Seal, -40 – 90 °C [-40 – 194 °F], Mini-Universal MATE-N-LOK

[View on TE.com >](#)

Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Seals



Connector Seal Type: **Interface Seal**

Operating Temperature Range: -40 – 90 °C [-40 – 194 °F]

**Features**

**Product Type Features**

Product Type	Accessory
Connector Seal Type	Interface Seal

**Body Features**

Material	Urethane Foam
Seal Material	Urethane Foam

**Usage Conditions**

Operating Temperature Range	-40 – 90 °C[-40 – 194 °F]
-----------------------------	---------------------------

**Operation/Application**

For Use With	Mini Universal MATE-N-LOK Sealed Connector
--------------	--

**Packaging Features**

Packaging Method	Bag/Box
Packaging Quantity	1000

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer








This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

 <p>TE Part # 770969-2 06P MINI UMNL R/A HDR ASSY AU</p>	 <p>TE Part # 1-770969-1 06P MINI UMNL R/A HDR ASSY LF</p>	 <p>TE Part # 794940-1 06P MINI UMNL CAP HSG</p>	 <p>TE Part # 1-770969-0 06P MINI UMNL R/A HDR ASSY SN</p>
 <p>TE Part # 1-770875-0 06P MINI UMNL HDR ASSY SN</p>	 <p>TE Part # 794758-1 MINI UMNL WIRE SEAL,18-26AWG</p>	 <p>TE Part # 1586359-6 06P MINIUMNL GANG WIRE SEAL DR</p>	 <p>TE Part # 794895-1 6 CIR MINI UMNL RND WIRE HOLES</p>



Also in the Series | Mini-Universal MATE-N-LOK



Customers Also Bought





## Documents

### Product Drawings

[06P MINI UMNL SEAL, DIE CUT](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_794772-6\\_C.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_794772-6\\_C.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_794772-6\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)

English

[1-1773458-0\\_MINI\\_UNIVERSAL\\_MATE\\_N\\_LOK\\_CONNECTOR\\_SYSTEM\\_QRG](#)

English

### Product Environmental Compliance

[TE Material Declaration](#)

English

794772-6

Rectangular Connector Seals, Interface Seal, -40 – 90 °C [-40 – 194 °F], Mini-Universal  
MATE-N-LOK



**Instruction Sheets**

**Instruction Sheet (U.S.)**

English