


Timer Connector System

TE Internal #: 828801-2 PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .22 in [5.6 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System

View on TE.com >

Connectors > PCB Connectors > PCB Headers & Receptacles > LOW & MEDIUM POWER HEADER



Connector System: Wire-to-Board Number of Positions: 6

Centerline (Pitch): 5.6 mm [.22 in]

Sealable: No

PCB Mount Orientation: Horizontal

All LOW & MEDIUM POWER HEADER (153)

TE

Features

Product Type Features

Hybrid Header	No
Connector & Housing Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Connector & Contact Terminates To Configuration Features	Printed Circuit Board
	Printed Circuit Board
Configuration Features	Printed Circuit Board 1 6
Configuration Features Number of Sections	1

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .22 in [5.6 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System



Body Features

Primary Product Color	Black
Contact Features	
Contact Size	3mm
Contact Type	Tab
Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.8 mm[.031 in]
Contact Mating Area Plating Material	Tin (Sn)
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mounting Holes	With
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
PCB Mount Alignment PCB Mount Retention	Without With

Housing Features

Centerline (Pitch)	5.6 mm[.22 in]
Dimensions	
Connector Length	31.1 mm[1.358 in]
Connector Width	25.9 mm[1.02 in]
Profile Height from PCB	19 mm[.748 in]
Operation/Application	
Shielded	No
Circuit Application	Signal
Packaging Features	
Packaging Quantity	588
Other	
Interface Number	929504
Product Compliance	

C For support call+1 800 522 6752

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .22 in [5.6 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


Compatible Parts



Also in the Series | Timer Connector System

PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .22 in [5.6 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System









PCB Headers & Receptacles(78)

Quick Disconnects(4)

Customers Also Bought



PCB Mount Header, Horizontal, Wire-to-Board, 6 Position, .22 in [5.6 mm] Centerline, Fully Shrouded, Tin (Sn), Timer Connector System



TE Part #2374035-1 121POS,HYBRID,HDR ASSY,90DEG, SLDR,COD 1

Documents

Product Drawings 2X 3P MESSERLEI 3,0

English

CAD Files

Customer View Model ENG_CVM_CVM_828801-2_E.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_828801-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_828801-2_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English