

826196-1 ✓ ACTIVE

EUROCARD


TE Internal #: 826196-1

PCB Connector Covers, Cable Hood Kit, Thermoplastic, Standard  
Product Profile, Terminating, -40 – 85 °C [-40 – 185 °F]

[View on TE.com >](#)



Connectors > PCB Connectors > PCB Connector Accessories > Protection & Strain Relief > PCB Connector Covers



Protection & Strain Relief Accessory Type: **Cable Hood Kit**

Primary Product Material: **Thermoplastic**

Product Profile: **Standard**

Connector Cover Type: **Terminating**

Operating Temperature Range: **-40 – 85 °C [-40 – 185 °F]**

### Features

#### Product Type Features

Protection & Strain Relief Accessory Type	Cable Hood Kit
Product Profile	Standard
Connector Cover Type	Terminating

#### Body Features

Primary Product Color	Gray
Primary Product Material	Thermoplastic

#### Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (3.5% in Component Part) <small>Article Safe Usage Statements:</small>

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 746603-4  
64 EUROLATCH LEAD FREE



TE Part # 768340-1  
UNIV HAND TOOL KIT AMPLATCH



TE Part # 91085-2  
MANUAL ARBOR TL ASSY AL

## Customers Also Bought



TE Part #1761482-1  
MRJ21 48POS RCPT ASSY, W/O PAN



TE Part #1-534206-0  
20 MODII VRT DR CE 100/115



TE Part #34151  
PG R 22-16 COMM 22-18 MIL 5/16



TE Part #1375819-3  
CST-100 II CONTACT 30 GOLD PLT



TE Part #342102-1  
22-16 F.E.P.G. RING TONGUE NO.



TE Part #102107-2  
MOD IV PIN LP



TE Part #2411034003  
ZHTM-3/1.5-0-SP



TE Part #62638-1  
RING TONGUE 22-20 AWG TPBR



## Documents

### Product Drawings

[IEC COVER ASSY](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_826196-1\\_E.2d\\_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_826196-1\\_E.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_826196-1\\_E.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.