796641-5 • ACTIVE

Buchanan

TE Internal #: 796641-5 PCB Terminal Blocks, Plug, Wire-to-Board, 5 Position, .197 in [5 mm] Centerline, 1 Row, Side Wire Entry Angle, 30 – 12 AWG Wire Size

View on TE.com >

Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



Terminal Block Connector Type: Plug

Connector System: Wire-to-Board

Number of Positions: 5

Centerline (Pitch): 5 mm [.197 in]

Number of Rows: 1

Features



Product Type Features

Wire Protection	With			
Block Type	Stacking Plug			
Terminal Block Connector Type	Plug			
Connector System	Wire-to-Board			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Stacking Configuration	Side Stackable			
Number of Positions	5			
Number of Rows	1			
Wire Entry Angle	Side			
Electrical Characteristics				
Current Rating (Max)	15 A			
Voltage Rating	300 VAC			
Body Features				

C For support call+1 800 522 6752

PCB Terminal Blocks, Plug, Wire-to-Board, 5 Position, .197 in [5 mm] Centerline, 1 Row, Side Wire Entry Angle, 30 – 12 AWG Wire Size



Interlock	Without
Contact Features	
Contact Mating Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	15 A
lechanical Attachment	
Screwless Terminal Block	No
Mounting Angle	Right Angle
Screw Size	M3
Screw Plating Material	Nickel
Screw Material	Brass
Screw Flange	Without
Connector Mounting Type	Board Mount
Housing Features	
Housing Color	Black
Housing Material	PA 66
Centerline (Pitch)	5 mm[.197 in]

Dimensions

Wire Size	.05 – 3 mm²					
Usage Conditions						
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]					
Operation/Application						
Circuit Application	Power & Signal					
Packaging Features						
Packaging Method	Box					
Packaging Quantity	150					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Not Compliant					
EU ELV Directive 2000/53/EC	Compliant with Exemptions					

PCB Terminal Blocks, Plug, Wire-to-Board, 5 Position, .197 in [5 mm] Centerline, 1 Row, Side Wire Entry Angle, 30 – 12 AWG Wire Size



China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (2% in Component) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






PCB Terminal Blocks, Plug, Wire-to-Board, 5 Position, .197 in [5 mm] Centerline, 1 Row, Side Wire Entry Angle, 30 – 12 AWG Wire Size





Customers Also Bought



ANVIL, COMBINATION	CRIMPER, WIRE .070 F	CRIMPER, INSULATION F PREMIUM	CRIMPER, WIRE .055 "F"
	•		
	= TE		
TE Part #20870-2 SWITCH,TOGGLE	TE Part #2-238011-2 SPACER, BLOCK-CRIMPER (.084)		

Documents

Product Drawings 5 POS 5.0 MM R/A PLUG,TRM BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_796641-5_E.2d_dxf.zip

PCB Terminal Blocks, Plug, Wire-to-Board, 5 Position, .197 in [5 mm] Centerline, 1 Row, Side Wire Entry Angle, 30 – 12 AWG Wire Size



English

Customer View Model ENG_CVM_CVM_796641-5_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_796641-5_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS

English

1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG

English

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English