

Multilock Connector System

TE Internal #: 85110-1

Housing for Male Terminals, Wire-to-Wire, 11 Position, White,


Power & Signal, Cable Mount (Free-Hanging), Multilock Connector

System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MULTILOCK, CONNECTOR HOUSING



Connector & Housing Type: Housing for Male Terminals

Mating Tab Width: 1.8 mm, 6.3 mm [.071 in, .25 in]

Connector System: Wire-to-Wire

Number of Positions: 11

Sealable: No

All MULTILOCK, CONNECTOR HOUSING (576)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	Yes
Configuration Features	
Number of Positions	11
Number of Rows	2
Body Features	
Body Material	PBT
Primary Product Color	White
Contact Features	
Contact Size	1.8mm, 6.3mm
Contact Type	Tab
Mating Tab Width	1.8 mm, 6.3 mm[.071 in][.25 in]

Mechanical Attachment



Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Dimensions	
Product Width	16.6 mm[.653 in]
Product Length	39.6 mm[1.56 in]
Product Height	16.6 mm[.654 in]
Row-to-Row Spacing	5.2 mm[.205 in]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	75
Packaging Method	Bag
Other	
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













Also in the Series | Multilock Connector System









Automotive Connector Locks & Position Assurance(2)







Automotive Seals & Cavity Plugs(2)



Automotive Terminals(140)



Insertion & Extraction Tools(6)



Other Automotive Connector Accessories(9)



Customers Also Bought



TE Part #DT04-2P
DEUTSCH DT Series Housings &
Connectors




TE Part #W2S
DEUTSCH DT WEDGELOCKS



TE Part #282104-1 AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING







Documents

Product Drawings 070/250 HYBRID 11P CAP

English

CAD Files

Customer View Model ENG_CVM_CVM_85110-1_G.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_85110-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_85110-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MULTILOCK Connector System

English

Product Specifications

070 250 HYB Series

English