


Multilock Connector System

TE Internal #: 936352-1 Housing for Female Terminals, Wire-to-Wire, 40 Position, .236 in / . 157 in [6 mm / 4 mm] Centerline, Gray, Wire & Cable, Multilock Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MULTILOCK, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 2.28 mm, 2.36 mm [.09 in, .093 in]

Connector System: Wire-to-Wire

Number of Positions: 40

Centerline (Pitch): 4 mm, 6 mm [.157 in, .236 in]

All MULTILOCK, CONNECTOR HOUSING (576)

Features

Product Type Features

Connector & Housing Shape

Connector & Housing Type

Rectangular

Housing for Female Terminals

Connector System	Wire-to-Wire	
Sealable	No	
Hybrid Connector	Yes	
Primary Locking Feature	Integrated in Housing	
Connector & Contact Terminates To	Wire & Cable	
Configuration Features		
Number of Positions	40	
Body Features		
Cable Exit Angle	180°	
Body Material	PBT	
Primary Product Color	Gray	
Contact Features		
Contact Size	2.3mm, 6.3mm	
Contact Type	Receptacle	
Mating Tab Width	2.28 mm, 2.36 mm[.09 in][.093 in]	

C For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 40 Position, .236 in / .157 in [6 mm / 4 mm] Centerline, Gray, Wire & Cable, Multilock Connector System



Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	4 mm, 6 mm[.157 in][.236 in]
Dimensions	
Product Width	25 mm[.984 in]
Product Length	89 mm[3.5 in]
Product Height	29.1 mm[1.14 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	72
Packaging Method	Box
Other	
Serviceable	No
Connector Position Assurance Capable	No
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed

Housing for Female Terminals, Wire-to-Wire, 40 Position, .236 in / .157 in [6 mm / 4 mm] Centerline, Gray, Wire & Cable, Multilock Connector System



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Multilock Connector System

	ALE ALE D		
Automotive Connector Caps & Covers (16)	Automotive Connector EMC Shielding (1)	Automotive Connector Locks & Position Assurance(2)	Automotive Housings(575)
	And a set of the set o		
Automotive Seals & Cavity Plugs(2)	Automotive Terminals(140)	Insertion & Extraction Tools(6)	Other Automotive Connector Accessories(9)


Housing for Female Terminals, Wire-to-Wire, 40 Position, .236 in / .157 in [6 mm / 4 mm] Centerline, Gray, Wire & Cable, Multilock Connector System





Customers Also Bought





TE Part #281934-2



TE Part #0460-202-16141

SINGLE WIRE SEAL

Documents

Product Drawings 090/SPT HYB 40P PLUG ASSY-A100

English

CAD Files

Customer View Model ENG_CVM_CVM_936352-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_936352-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_936352-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

C For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 40 Position, .236 in / .157 in [6 mm / 4 mm] Centerline, Gray, Wire & Cable, Multilock Connector System



Datasheets & Catalog Pages MULTILOCK Connector System

English