

929025-1 ✓ ACTIVE

AMP | Sensor Flat Contact System


TE Internal #: 929025-1

Automotive Terminals, Receptacle, Mating Tab Width 1.5 mm [.059 in], Tab Thickness .024 in [.6 mm], 16 – 14 AWG Wire Size, Sensor Flat Contact System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > AMP MCP, SFC, RECEPTACLE



Terminal Type: **Receptacle**

Mating Tab Width: **1.5 mm [.059 in]**

Mating Tab Thickness: **.6 mm [.024 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **16 – 14 AWG**

[All AMP MCP, SFC, RECEPTACLE \(23\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Contact Size	1.5mm
Contact Fabrication	Stamped & Formed
Typical Current Rating	14 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1.5 mm[.059 in]
Mating Tab Thickness	.6 mm[.024 in]
Interface Plating	Gold (Au)
Contact Termination Area Plating Material	Gold (Au)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions



Wire Size	1.4 – 2 mm ²
Wire Size Search	14 AWG, 15 AWG, 16 AWG
Wire Insulation Diameter	2.2 – 2.8 mm [.087 – .118 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F]
Operating Temperature Range	-40 – 150 °C [-40 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	4200

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AM705-CH8172
AMP MCP, SEALED CONNECTOR HOUSING



TE Part # 284556-1
2 POS. CONN. FOR SPARK COIL



TE Part # 2-2836722-1
OC-PA-S-FM-062F100F-118-1483



TE Part # 2-2836722-2
OC-PA-S-FA-062F100F-118-1483



TE Part # 2-2836748-1
OC-PA-S-FM-090F120OV-001-0079



TE Part # 2-2836748-2
OC-PA-S-FA-090F120OV-001-0079



TE Part # 2836722-1
OC-AT-S-FM-062F100F-118-1483



TE Part # 2836722-2
OC-AT-S-FA-062F100F-118-1483



TE Part # 2836748-1
OC-AT-S-FM-090F120OV-001-0079



TE Part # 2836748-2
OC-AT-S-FA-090F120OV-001-0079



TE Part # 7-1579007-0
EXTRACTION TOOL



TE Part # 7-2836748-7
OC-090F120OV-CRIMPTOOLINGKIT



TE Part # 1-284425-2
3 POS CONNECTOR FOR INJECTION



TE Part # 1-284556-2
2 POS. CONN. FOR SPARK COIL



TE Part # 1-284556-3
2 POS. CONN. FOR SPARK COIL

Also in the Series | Sensor Flat Contact System



Automotive Connector Caps & Covers
(12)



Automotive Housings(56)



Automotive Terminals(23)



Insertion & Extraction Tools(7)

Customers Also Bought



TE Part #284556-1
2 POS. CONN. FOR SPARK COIL




TE Part #344070-1
.250" SPEC.F.RECP.(PLATED)




TE Part #2109335-2
025/060/110 DOOR 50P CAP ASSY



TE Part #2278753-1
TPA FOR 43 WAY PLUG,




TE Part #2299956-1
MCP 6.3MM 4P PLUG ASSY A



TE Part #2188789-2
REAR DOOR 22P S/PLUG ASSY



TE Part #2219639-7
020/060 38P PLUG ASSY GRN



TE Part #2365978-2
025 36P PLUG ASSY

Documents

Product Drawings

1.5MM SFC

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_929025-1_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_929025-1_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_929025-1_G.3d_stp.zip](#)



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

German

[Application Specification](#)

German

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English