




Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Hardware > PCB Latches, Locks & Retainers



Connector & Contact Retention Accessory Type: **Retention Plug**

Contact Current Rating (Max): **3 A**

Circuit Application: **Signal**

Operating Temperature Range: **-65 – 105 °C [-85 – 221 °F]**

Features

Product Type Features

Connector & Contact Retention Accessory Type	Retention Plug
--	----------------

Body Features

Primary Product Material	Polycarbonate GF
Primary Product Color	Red

Contact Features

Contact Current Rating (Max)	3 A
------------------------------	-----

Usage Conditions

Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

Packaging Features

Packaging Quantity	15000
Packaging Method	Bag

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------




EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 926476-8 MOD 4 HSG	TE Part # 926475-3 03P MODU 4 HSG.S.R.	TE Part # 926475-4 MOD 4 HSG	TE Part # 926476-6 MOD 4 HSG
TE Part # 1-926476-0 MOD 4 HSG	TE Part # 926475-8 MOD 4 HSG	TE Part # 1-926475-0 MOD 4 HSG	TE Part # 1-926476-7 MOD 4 HSG



Also in the Series | **AMP MODU IV/V**





PCB Headers & Receptacles(939)



PCB Latches, Locks & Retainers(9)



Rectangular Connector Housings(5)



Standard Rectangular Connectors(8)



Wire-to-Board Connector Assemblies & Housings(467)



Wire-to-Board Connector Contacts (326)

Customers Also Bought




TE Part #5787685-1
37 RCPT SP/FMS (RET SL)



TE Part #926476-8
MOD 4 HSG



TE Part #826467-3
3P MOD II SHROUDED HEADER, ST



TE Part #2-1658526-4
609-5041LF FEM SOCKET, LEAD FREE




TE Part #2-2176089-6
RP 1J 0.166W 20K 0.1% 25PPM 1K RL



TE Part #1-480435-0
FASTON 187 REC HSG NYLON NAT



TE Part #3-926476-0
MOD 4 HSG



TE Part #1-1437358-1
171-50G=50P 28AWG S



TE Part #925068
250 FASTON HSG. REC. 1P CLEAR

Documents



Product Drawings

MOD4 RASTHAKEN

English

CAD Files

Customer View Model

[ENG_CVM_926477-3_P0F1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_926477-3_P0F1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_926477-3_P0F1.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English