




Terminals & Splices > Automotive Terminals



Terminal Type: **Tab**

Mating Tab Width: **2.8 mm [.11 in]**

Mating Tab Thickness: **.8 mm [.031 in]**

Wire Size: **.2 – .5 mm²**

Features

Product Type Features

Sealable	No
----------	----

Contact Features

Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	2.8 mm [.11 in]
Mating Tab Thickness	.8 mm [.031 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	.2 – .5 mm ²
-----------	-------------------------



Wire Size Search

20 AWG, 21 AWG, 22 AWG, 23 AWG, 24 AWG

Usage Conditions

Insulation Option

Uninsulated

Packaging Features

Packaging Method

Reel

Packaging Quantity

6000

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2022 (224)
 Candidate List Declared Against: JAN 2022 (223)
 SVHC > Threshold:
 Not Yet Reviewed

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **FASTIN-FASTON 110**





Quick Disconnects(83)

Customers Also Bought




TE Part #2141882-2
TAB A 1.6x0.6 CONTACT CF SRC Sn




TE Part #962825-2
FF 250 TAB 24-20 AWG .016 TPPB




TE Part #2236586-1
2POS,TAB1.2X0.6,HDR ASSY,180DEG, MCON




TE Part #2050670-2
36way SAF Header




TE Part #2291951-1
WH HKG LHD WO PTC



TE Part #2293228-1
SQUIB,HARNESS,WITH CONNECTOR



TE Part #2337789-1
RESOLVER,STATOR SCR408 GKN TESTED



TE Part #2349505-3
RESOLVER,SCR408 GKN ROT NO RIV WITH MARK

Documents

Product Drawings

FF 110 TAB 0.2-0.5 MM2 .070 F PTP CUSN4

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_964131-2_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_964131-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_964131-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Product Specifications

Application Specification

German

Application Specification

English