
929053-2 ~ ACTIVE

AMP | MQS

TE Internal #: 929053-2 Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Blue, PBT GF, Wire-to-Board / Wire-to-Device, 32 Position, MQS

View on TE.com >

Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover Assembly

Cable Exit Angle: 90° (Right Angle)

Strain Relief: With

Primary Product Color: Blue

Primary Product Material: **PBT GF**

Features

Product Type Features

Protection & Strain Relief Accessory Type

Connector System

Cover Assembly

Wire-to-Board, Wire-to-Device



Configuration Features

Packaging Features Packaging Quantity	180
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 ° F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Usage Conditions	
Strain Relief	With
Mechanical Attachment	
Primary Product Material	PBT GF
Primary Product Color	Blue
Cable Exit Angle	90° (Right Angle)
Body Features	
Number of Positions	32
Compatible With Connector Code	В

C For support call+1 800 522 6752

929053-2

Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Blue, PBT GF, Wire-to-Board / Wire-to-Device, 32 Position, MQS



Packaging Method

Carton

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | MQS

929053-2

Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Blue, PBT GF, Wire-to-Board / Wire-to-Device, 32 Position, MQS








PCB Headers & Receptacles(207)

Customers Also Bought



 TE Part #1-2141211-2
 TE Part #164160-8

 8MM HV, CONTACT, PLAIN
 TYPE 3+ STIFT STD

Documents

C For support call+1 800 522 6752

929053-2

Automotive Connector Caps & Covers, Cover Assembly, Cable Exit Angle 90° (Right Angle), Blue, PBT GF, Wire-to-Board / Wire-to-Device, 32 Position, MQS



Product Drawings MQS ABDEKA M.HEB32P English **CAD** Files 3D PDF 3D Customer View Model ENG_CVM_CVM_929053-2_C.2d_dxf.zip English Customer View Model ENG_CVM_CVM_929053-2_C.3d_igs.zip English Customer View Model ENG_CVM_CVM_929053-2_C.3d_stp.zip English By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English