962371-1 <


AMP | Timer Connector System

TE Internal #: 962371-1 Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PBT GF, Timer Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Cable Exit Angle: 90° (Right Angle)

Strain Relief: With

Primary Product Color: Black

Primary Product Material: **PBT GF**

Features

Product Type Features

Protection & Strain Relief Accessory Type

Connector System

Cover - Cable Exit

Wire-to-Board, Wire-to-Device

Configuration Features

Number of Positions	71
Body Features	
Cable Exit Angle	90° (Right Angle)
Primary Product Color	Black
Primary Product Material	PBT GF
Mechanical Attachment	
Strain Relief	With
Dimensions	
Compatible Cable Bundle Diameter Range	12.7 mm[.5 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 ° C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F] [284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

962371-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PBT GF, Timer Connector System



Industry Standards

UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Method	Carton
Other	
Serviceable	Yes
Product Compliance	
For compliance documentation, visit the product page on TE.com>	

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

962371-1


Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PBT GF, Timer Connector System





TE Part # CAT-T4827-CH8172 TIMER, CONNECTOR HOUSING

Also in the Series | Timer Connector System



Automotive Terminals(138)	Crimp Terminal Housings(13)	Insertion &	Extraction Tools(20)	Other Automotive Connector
				Accessories(1)



Customers Also Bought



962371-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PBT GF, Timer Connector System







Documents

Product Drawings ABDECKKAPPE F42/29P

English

CAD Files 3D PDF

English

Customer View Model ENG_CVM_962371-1_B1.2d_dxf.zip

English

Customer View Model

ENG_CVM_962371-1_B1.3d_igs.zip

English

Customer View Model

ENG_CVM_962371-1_B1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.