

#### AMP | Maxi Power Timer

TE Internal #: 964762-8


Housing for Male Terminals, Wire-to-Wire, 3 Position, .551 in [14 mm] Centerline, Gray, Signal, Cable Mount (Free-Hanging), Maxi

Power Timer

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING











Connector & Housing Type: Housing for Male Terminals

Connector System: Wire-to-Wire

Number of Positions: 3

Centerline (Pitch): 14 mm [.551 in]

Sealable: No

All TIMER, CONNECTOR HOUSING (543)

## **Features**

## **Product Type Features**

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	3
Number of Positions  Number of Rows	1
Number of Rows	



Primary Product Color	Gray
Contact Features	
Contact Size	9.5mm
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	14 mm[.551 in]
Dimensions	
Product Width	65 mm[2.55 in]
Product Length	41 mm[1.61 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	550
Packaging Method	Bag
Other	
Serviceable	No
Connector Position Assurance Capable	No

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224)



		REACH	CV/II/C
$n \cap T$	CONTAIN	RFA( H	$\sim VH($

	w Halogen - Br, Cl, F, I < 900 ppm per mogenous material. Also BFR/CFR/PVC ee
--	---

#### Solder Process Capability

Not applicable for solder process capability


#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**



# Also in the Series | Maxi Power Timer







# Customers Also Bought















## **Documents**

#### **Product Drawings**

MAX-POW-TIM GEH 3P

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_964762-8\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_964762-8\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_964762-8\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

Timer Interconnection System

English