AMP | Standard Power Timer

TE Internal #: 965665-1

Housing for Female Terminals, Wire-to-Wire, 2 Position, .338 in [8.6

mm] Centerline, Black, Signal, Cable Mount (Free-Hanging),

Standard Power Timer

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING











Connector & Housing Type: Housing for Female Terminals

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 8.6 mm [.338 in]

Sealable: No

All TIMER, CONNECTOR HOUSING (543)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Cable Exit Angle	180°



Primary Product Color	Black
Contact Features	
Contact Size	6.3mm
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	8.6 mm[.338 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	300
Packaging Method	Carton
Other	
Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Standard Power Timer







Automotive Terminals(54)



Busbars & Terminals(3)



Insertion & Extraction Tools(1)



Customers Also Bought





TE Part #9-968975-2 MCP2,8 GEH ASSY 21P



TE Part #1-968050-1 SPECIAL TERMINAL 11-10 AWG PTPB

TE Part #1-2819196-8
3 W ABS CABLE ASSY MBB 9.000

TE Part #2-2819195-3 2 W ABS CABLE ASSY MBB 7.000

TE Part #2819195-2 2 W ABS CABLE ASSY MBB 9.000

TE Part #2819196-9 3 W ABS CABLE ASSY MBB 7.000 TE Part #3-2819195-1 2W ABS CABLE ASSY, 15.500 MM



TE Part #444313-3 HSG ASS'Y 9 POSN. COMB.

TE Part #537285-000 BL-POLY125-190-0-30

Documents

Product Drawings
STD-POW-TIM GEH 2P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_965665-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_965665-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_965665-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Housing for Female Terminals, Wire-to-Wire, 2 Position, .338 in [8.6 mm] Centerline, Black, Signal, Cable Mount (Free-Hanging), Standard Power Timer



Timer Interconnection System

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English