


RAST | RAST 5 IDC Connectors

TE Internal #: 928344-2 Housing, Receptacle, Wire-to-Board, 2 Position, 5 mm [.197 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 2

Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

Connector Product Type	Housing				
Connector & Housing Type	Receptacle				
Connector System	Wire-to-Board				
Sealable	No				
Connector & Contact Terminates To	Wire & Cable				
Configuration Features					
Keying & Polarized Rib Location	1b/2a				
Number of Positions	2				
Number of Rows	1				
Termination Features					
Termination Method to Wire & Cable	Crimp				
Mechanical Attachment					
Locking Latch Between Cavity Number	1&2				
Strain Relief	Without				

C For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Board, 2 Position, 5 mm [.197 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Panel Mount Feature	Without				
PCB Mount Retention	Without				
Mating Retention Type	Latch				
Mating Retention	With				
Connector Mounting Type	Cable Mount (Free-Hanging)				
Housing Features					
Housing Material	PA 6.6				
Centerline (Pitch)	5 mm[.197 in]				
Housing Color	Natural				
Dimensions					
Connector Length	10 mm[.39 in]				
Connector Height	12.2 mm[.48 in]				
Usage Conditions					
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]				
Operation/Application					
Circuit Application	Power				

Industry Standards

RAST Version	02-A					
Glow Wire Rating	Standard Part - Not Glow Wire					
UL Flammability Rating	UL 94V-2					
Packaging Features						
Packaging Quantity	2500					
Packaging Method	Bag					
Other						
Comment	Tab Housing uses FASTIN-FASTON .250 series Tabs.					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant					
EU ELV Directive 2000/53/EC	Compliant					
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold					

Housing, Receptacle, Wire-to-Board, 2 Position, 5 mm [.197 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Housing, Receptacle, Wire-to-Board, 2 Position, 5 mm [.197 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors








Also in the Series | RAST 5 IDC Connectors



Automotive Terminals(8)	Connector Contacts(12)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(T)
		Concentration of the second se	
PCB Headers & Receptacles(424)	Rectangular Connector Housings(1)	Standard Edge Connectors(47)	Standard Rectangular Connectors(112)




Customers Also Bought

& For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Board, 2 Position, 5 mm [.197 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors





TE Part #6182053001 TR16-6.0-0 TE Part #345260-1 ANTI-BACKOUT 6WAY REC HSGECONO

Documents

Product Drawings STD-TIMER GEH 2P

English

CAD Files

Customer View Model ENG_CVM_CVM_928344-2_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_928344-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_928344-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Board, 2 Position, 5 mm [.197 in] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



1654742_HOUSEHOLD_APPLIANCES_RAST5

English

Agency Approvals VDE Certificate

English