DT2P-BT-BK - ACTIVE

DEUTSCH | DEUTSCH DT, DEUTSCH DTM

TE Internal #: DT2P-BT-BK Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180° (In-Line), Black, PVC, Wire-to-Wire, 2 Position, DEUTSCH DTM View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers



Protection & Strain Relief Accessory Type: Boot

Cable Exit Angle: 180° (In-Line)

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PVC

Features

Product Type Features

Protection & Strain Relief Accessory Type	Boot
Connector System	Wire-to-Wire
Sealable	No

Connector &	& Contact ⁻	Terminates To
-------------	------------------------	---------------

Wire & Cable

Configuration Features

Number of Positions	2	
Body Features		
Cable Exit Angle	180° (In-Line)	
Primary Product Color	Black	
Primary Product Material	PVC	
Mechanical Attachment		
Strain Relief	With	
Dimensions		
Compatible Cable Bundle Diameter Range	0 – 8.76 mm[0 – .345 in]	
Usage Conditions		
Compatible With Connector Style	Receptacle	
Operating Temperature (Max)	100 °C[212 °F]	

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180° (In-Line), Black, PVC, Wire-to-Wire, 2 Position, DEUTSCH DTM



Operating Temperature Range	-29 – 100 °C[-20 – 212 °F]
Industry Standards	
Degree of Protection	IP6K9K
Packaging Features	
Packaging Method	Box
Other	
Serviceable	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180° (In-Line), Black, PVC, Wire-to-Wire, 2 Position, DEUTSCH DTM






Also in the Series | DEUTSCH DT










Insertion & Extraction Tools(3)

Other Automotive Connector Accessories(14) PCB Headers & Receptacles(106)

Also in the Series DEUTSCH DTM









Automotive Connector Caps & Covers (34)

Automotive Connector Locks & Position Assurance(17)

Automotive Housings(98)

Insertion & Extraction Tools(2)

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180° (In-Line), Black, PVC, Wire-to-Wire, 2 Position, DEUTSCH DTM





Customers Also Bought



BOOT, 12P, REC, ST, BLK	BOOT, 4P, REC, ST, BLK	BOOT, 6P, PLG, ST, BLK	BOOT, 4P, PLG, ST, BLK
TE TE	S TE		
TE Part #1544333-1 LANGUETTE 8MM NG1	TE Part #1544316-3 BOUCHON BLANC		

Documents

Product Drawings BOOT, 2P, REC, ST, BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DT2P-BT-BK_A.2d_dxf.zip

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180° (In-Line), Black, PVC, Wire-to-Wire, 2 Position, DEUTSCH DTM



English

Customer View Model ENG_CVM_CVM_DT2P-BT-BK_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_DT2P-BT-BK_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

English