WM-6P <


DEUTSCH | DEUTSCH DT, DEUTSCH DTM

TE Internal #: WM-6P Automotive Connector Locks & Position Assurance, Secondary Lock, Orange, Wire-to-Wire, PBT, 6 Position, Wire & Cable, Power & Signal, DEUTSCH DT

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Locks & Position Assurance > DEUTSCH DTM WEDGELOCKS



Connector & Contact Retention Accessory Type: Secondary Lock

Primary Product Color: Orange

Connector System: Wire-to-Wire

Primary Product Material: **PBT**

Number of Positions: 6

All DEUTSCH DTM WEDGELOCKS (17)

Features

Product Type Features

Connector & Contact Retention Accessory Type

Secondary Lock

Connector System	Wire-to-Wire	
Sealable	No	
Connector & Contact Terminates To	Wire & Cable	
Configuration Features		
Number of Positions	6	
Body Features		
Primary Product Color	Orange	
Primary Product Material	PBT	
Usage Conditions		
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]	
Operation/Application		
Circuit Application	Power & Signal	
Industry Standards		
UL Flammability Rating	UL 94HB	

Automotive Connector Locks & Position Assurance, Secondary Lock, Orange, Wire-to-Wire, PBT, 6 Position, Wire & Cable, Power & Signal, DEUTSCH DT



Packaging Features

Packaging Method	Box
Other	
Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not reviewed for solder process capability		

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Automotive Connector Locks & Position Assurance, Secondary Lock, Orange, Wire-to-Wire, PBT, 6 Position, Wire & Cable, Power & Signal, DEUTSCH DT



Also in the Series | DEUTSCH DT










Automotive Housings(619)	Automotive Seals & Cavity Plugs(4)




(98)



Other Automotive Connector Accessories(14)



Also in the Series DEUTSCH DTM



Automotive Connector Caps & Covers (34)	Automotive Connector Locks & Position Assurance(17)	Automotive Housings(98)	Insertion & Extraction Tools(2)



PCB Headers & Receptacles(42)

Customers Also Bought

Automotive Connector Locks & Position Assurance, Secondary Lock, Orange, Wire-to-Wire, PBT, 6 Position, Wire & Cable, Power & Signal, DEUTSCH DT





Documents

Product Drawings WEDGE LOCK, 6P, REC, ORG, DTM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_WM-6P_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_WM-6P_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_WM-6P_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications Application Specification

English

Product Environmental Compliance MD_WM-6P_11062017615_dmtec

English

MD_WM-6P_11062017615_dmtec

English

Agency Approvals UL Report

& For support call+1 800 522 6752

Automotive Connector Locks & Position Assurance, Secondary Lock, Orange, Wire-to-Wire, PBT, 6 Position, Wire & Cable, Power & Signal, DEUTSCH DT



English