WHDS-18-2 ACTIVE

DEUTSCH | DEUTSCH HD, DEUTSCH HD30

TE Internal #: WHDS-18-2 Automotive Connector Caps & Covers, Strain Relief, Cable Exit Angle 90° (Right Angle), Aluminum, Wire-to-Wire, 8 / 6 / 14 Position View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers > DEUTSCH HD30 BACKSHELLS



Protection & Strain Relief Accessory Type: Strain Relief

Cable Exit Angle: 90° (Right Angle)

Strain Relief: With

Primary Product Material: Aluminum

Connector System: Wire-to-Wire

All DEUTSCH HD30 BACKSHELLS (4)

Features

Product Type Features

Compatible Cable Bundle Diameter Range	0 – 31.04 mm[0 – 1.222 in]
Dimensions	
Strain Relief	With
Mechanical Attachment	
Primary Product Material	Aluminum
Cable Exit Angle	90° (Right Angle)
Body Features	
Number of Positions	6, 8, 14, 20, 21
Configuration Features	
Connector & Contact Terminates To	Wire & Cable
Sealable	No
Connector System	Wire-to-Wire
Protection & Strain Relief Accessory Type	Strain Relief

C For support call+1 800 522 6752

Automotive Connector Caps & Covers, Strain Relief, Cable Exit Angle 90° (Right Angle), Aluminum, Wire-to-Wire, 8 / 6 / 14 Position



Usage Conditions

Compatible With Connector Style	Plug, Receptacle
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Industry Standards	
Degree of Protection	Not Tested
Packaging Features	
Packaging Method	Box
Other	
Serviceable	Yes
Product Compliance	
For compliance documentation, visit the product page on TE.com>	

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022

(224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed

Not Yet Reviewed for halogen content

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


C For support call+1 800 522 6752

Automotive Connector Caps & Covers, Strain Relief, Cable Exit Angle 90° (Right Angle), Aluminum, Wire-to-Wire, 8 / 6 / 14 Position





Also in the Series | DEUTSCH HD









Other Automotive Connector Accessories(11) PCB Headers & Receptacles(1)

Also in the Series | DEUTSCH HD30




Automotive Connector Caps & Covers, Strain Relief, Cable Exit Angle 90° (Right Angle), Aluminum, Wire-to-Wire, 8 / 6 / 14 Position





Customers Also Bought



DT04-2P-TN81, REC, 2P, GRY, N,	BOOT, 2P, REC, ST, BLK	REC, 18P, BLK
SNAPXCAP		

EC, 18P, BLK, N, THD, 8/12/16, P

Documents

Product Drawings STRAIN RELIEF, HD30, 18SZ, RA

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_WHDS-18-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_WHDS-18-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_WHDS-18-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

C For support call+1 800 522 6752

Automotive Connector Caps & Covers, Strain Relief, Cable Exit Angle 90° (Right Angle), Aluminum, Wire-to-Wire, 8 / 6 / 14 Position



Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

English